


SPECIFICATIONS:



Electrical:	
Frequency range	1 – 30 MHz
Polarisation	Vertical
Gain	See graph
Nominal input impedance	50 Ω
Connector	N-type female
Mechanical:	
Length	9 m
Total mass	< 30 kg excluding packaging
Base dimensions	300 mm x 300 mm
Groundplane diameter	20000 mm
Mounting method	Free-standing on the ground. Can be bolted to a concrete plinth
Environmental: designed to meet the following specifications	
Wind survival	120 km/h (5 mm ice) (when fitted with guy ropes)
Water ingress rating	IP66
Temperature	-40 °C to +55 °C (operation) Designed for MIL-STD 810E
Shock and vibration	516.4: vibration category 8, shock 40 g during transport

PRODUCT FEATURES:

- 1 to 30 MHz frequency range
- Rugged
- Quick deployment time
- Self-contained groundplane
- Glass fibre insulated radiator

APPLICATIONS:

- HF DF array element
- Linear or circular arrays
- SSL arrays

PRODUCT DESCRIPTION:

The HF passive whip monopole antenna is designed for deployment on open ground or permanent installation and includes a deployable groundplane. The antenna's radiation pattern is suitable for medium to long range HF monitoring.

It can be deployed as part of either a linear or circular array and is quickly and easily deployed and stowed. The product can be rapidly deployed by two people within 30 minutes but can also be bolted to a plinth for semi-permanent installations.

The antenna is intended for use in constructing DF interferometer arrays consisting of a number of MONO-A0076 antennas.


HF Passive Monopole

1 – 30 MHz

Product Code: MONO-A0076

VERSION: 1.7

GAIN:



Theta = 75 deg; Ground: relative permittivity 13 and 0.005 conductivity