

VERSION: 3.8

Active Monitoring Antenna

20 – 6000 MHz

Product Code: OMNI-A0107

SPECIFICATIONS:

Product code:	
OMNI-A0107	2 x N-type female connectors
OMNI-A0107-01	1 x N-type female connector
OMNI-A0107-02	2 x N-type female connectors;
	passive antenna
Electrical:	
Frequency:	
OMNI-A0107 /-02:	
Band A	20 MHz – 1000 MHz
Band B	1000 MHz – 6000 MHz
OMNI-A0107-01	20 – 6000 MHz
Sensitivity in 1 Hz bandwidth	Below 3 GHz: -20 dBµV/m
	Above 3 GHz: -10 dBµV/m
Feed power handling	Receive only
Nominal impedance	50 Ω
Polarisation	Vertical
Pattern	Omni-directional
Power supply	Via RF cable 12.5 – 24 V DC
Power supply voltage	60 V
transient withstand	
(100 mS)	
Reverse polarity protected	-60 V
Operating current	100 mA max
Absolute maximum field	Below 10 MHz: 50 V/m
strength (no damage)	10 – 100 MHz: 40 V/m
	Above 100 MHz: 20 V/m
Mechanical:	
Dimensions (I x w x h)	220 mm x 110 mm x 350 mm
Weight	< 1.4 kg
Environmental: designed to meet the following specifications	
Wind survival	200 km/h / 120km/h broadside
Temperature range	- 30 °C to +70 °C
Shock	40 G for 10 ms
Thermal shock	- 30 °C to +70 °C : 10 cycles
Water ingress rating	IP 65

ELECTRICAL FEATURES:

- Very wide bandwidth (20 MHz to 6 GHz)
- Excellent performance in a small
- package due to the use of active technology

MECHANICAL FEATURES:

- Low profile
- Robust
- Suited for vehicle-mount applications

PRODUCT DESCRIPTION:

The OMNI-A0107 is a dual ultra-wideband omni-directional monitoring antenna making it suitable for general spectrum surveillance. The use of active components in the antenna provide for a compact design.

The OMNI-A0107-01 is a single-output version of the antenna to allow the entire spectrum to be covered by a receiver via one N-type female connector.

The OMNI-A0107-02 is a passive version of the OMNI-A0107 utilising two RF connectors.

Copyright © All rights reserved. We reserve the right to change the product specification without notice. Values may vary due to tolerances.


Active Monitoring Antenna

20 – 6000 MHz


Product Code: OMNI-A0107


VERSION: 3.8

FIELD STRENGTH SENSITIVITY: OMNI-A0107



ANTENNA GAIN: OMNI-A0107






Active Monitoring Antenna


20 – 6000 MHz

Product Code: OMNI-A0107


VERSION: 3.8

ANTENNA FACTOR: OMNI-A0107





ANTENNA GAIN: OMNI-A0107-01



Updated 2023-12-13


Active Monitoring Antenna

20 – 6000 MHz

Product Code: OMNI-A0107

VERSION: 3.8

ANTENNA GAIN: OMNI-A0107-02



Band B:

